

BenQ LCD Monitor

FP72G+S



The BenQ 17" FP72G+S monitor delivers razor sharpness and innovative features with a blazing fast 8ms response time, 270 cd/m² brightness and 500:1 contrast ratio. Another highlight of the FP72G+S is the swivel, tilt and height adjustment functionality. The FP72G+S features BenQ's proprietary Senseeye technology that optimizes color, contrast and sharpness, giving ultimate clarity and depth to your monitor. This high performance monitor is the best choice, providing great picture quality for any users needs.

Key Feature:

- Proprietary Senseeye Image Enhancement Technology
- Lightning Fast 8ms Response Time
- 1280 x 1024 Resolution (SXGA)
- 500:1 Ultra-High Contrast Ratio
- 270 cd/m² High Brightness
- VGA & DVI-D Signal Connectors

Specifications

| | |
|-------------------------------------|------------------------|
| Model | FP72G+S |
| Product Color | Silver-Black |
| LCD Size (in) | 17 |
| Display Area (mm) | 337.9 x 270 |
| Pixel Pitch (mm) | 0.264 |
| Brightness (Max) | 270 cd/m ² |
| Contrast (Typical) | 500:1 |
| Viewing Angle (Horizontal/Vertical) | 160°/160° (CR>=5) |
| Response Time (Typical) | 8ms |
| Display Colors | 16.2M (with dithering) |
| Resolution (Max) | 1280 x 1024 (SXGA) |
| Hor. Frequency (KHz) | 30 - 83 |
| Ver. Frequency (Hz) | 56 - 76 |
| Video Bandwidth (MHz) | 25 - 135 |
| Input Connector | VGA/DVI |
| Power Supply (90~264 AC) | Built-In |
| Power Consumption (On Mode) | 40W (Max) |
| ikey (Auto Tuning) | Yes |
| Kensington Lock Support | Yes |
| CTN Dimensions (W x H x D) mm | 456 x 395 x 170 |
| Dimensions (W x H x D) mm | 406.6 x 378 x 222 |
| Gross Weight (kg) | 7 |
| Net Weight (kg) | 6 |
| Speaker | No |
| USB | No |
| VESA Wall Mounting (mm) | 100 x 100 |
| Swivel | 180°/180° |
| Pivot | No |
| Signal Cable | VGA & DVI |
| Others | - |
| TCO | TCO'99 |



For more information visit www.BenQ.ca or call (866) 383-2367

All product specifications and features are subject to change without notice. © 2005 BenQ Canada Corp.

BenQ

Enjoyment Matters