


Touch the World at Your Fingertips!



Headquarters

BenQ Corporation
16 Jihu Road, Neihu,
Taipei 114, Taiwan
Tel : +886-2-2727-8899
Fax : +886-2-2797-9288

Asia Pacific

BenQ Asia Pacific Corp.
12 Jihu Road, Neihu,
Taipei 114, Taiwan
Tel : +886-2-2727-8899
Fax : +886-2-2656-2438

BenQ Latin America Corp.

8200 N. W. 33 Street, Suite 301
West Side Plaza III
Miami, FL 33122 U.S.A.
Tel : +1-305-4211200
Fax : +1-305-4211201

BenQ Europe B.V.

Ekkersrijt 4130,
5692 DC Son,
The Netherlands
Tel: +31(499)750-500
Fax: +31(499)750-599

BenQ (IT) Co., Ltd.

268 Shishan Rd.,
Suzhou 215011, China
Tel: +86-512-6807-8800
Fax: +86-512-6824-1351


Authorized Dealer

BenQ
Enjoyment Matters



2008 BenQ Digital Camera

BenQ
Enjoyment Matters




*A picture is not only a snapshot of a moment in time;
It is the memory of an experience,
a warm mix of feelings,
sights and sounds that remind you of a moment to cherish.
Touch and re-touch your memories with BenQ's easy touch screen function.*

When the experience of capturing special emotions means that you can modify and improve your pictures at the tap of your finger, taking photos is no longer a means to an end, it becomes part of the fun.

BenQ

/ DC T850 / / DC E1050t / / DC E1050 / / DC E800 / / DC C1060 / / DC C850 /



/ DC T850 /



/ DC E1050t /



/ DC E1050 /



/ DC E800 /



/ DC C1060 /



/ DC C850 /

When has a series of cameras so faithfully and successfully combined elegance, style, function and practicality? Taking pictures should be fun and easy. It should be an experience to enjoy as much as the moment you are capturing. The BenQ camera series has that little bit for everyone to take pleasure in, from the convenient and cool touch panel of DC T850 & DC E1050t, to the elegant and stylish texture of DC E1050 & DC E800, not forgetting great functions such as the "smile capture" function of DC C1060 & DC C850. All in all, BenQ cameras are about creating a wonderful picture taking experience

BenQ

Digital Camera

T850



- 8M CCD
- 3x lens
- 3" TFT LCD
- Photo Frames
- Smile Capture
- Shake-Free
- 3:2/16:9 Resolution
- Continuous Movie
- Face-Tracking
- 30 shooting Modes



Special moment you can touch

Special moments you can touch. Give your fingertips the freedom to create. With its large touch-screen and intuitive user interface, the DC T850 delivers amazing and personalized pictures at the tip of your finger.

BenQ
Digital Camera DC T850

- TAP to focus and select
- CIRCLE to zoom
- SWIPE to browse and play

Enjoy the most Intuitive UI

8M CCD 3x lens

Wave goodbye to memorizing the user manual from cover to cover. Everything you want is readily available from a single tap, circular movement, or swipe from the tip of your finger! Built with the 3x optical zoom lens, the T850 gives you all the clarity and sharpness you need to focus, zoom and edit. Get ready to tap and play!

Simplify your life with a new minimalist design

From the circle-shaped touch keys designed to fit the tip of your finger to a well-organised user interface with up to 3 hotkeys that you can personalise, and a single-tap quick bar covering up to 80% of your photo-shooting needs, the BenQ DSC T850 gives you the most intuitive user experience anytime, anywhere.



Tap to Focus

The BenQ DSC T850 gives you the flexibility of choosing an object or a person anywhere on the screen as your primary focus point. Instead of using a 'point-and-focus' action to get clarity on the object you are targeting, all you have to do is tap! It cannot get easier than this!



Tap to Select

With the instant playback mode, you can browse up to 12 photos at the same time! The highly efficient T850 allows you to tap and select multiple photos from each set of pictures to delete, protect or print.



Circle to Zoom

As you browse through the photos, feel free to examine every detail by circling a specific part on the photo with the tip of your finger and appreciate the immediate automatic zoom up to 12x. You can even cut and save the enlarged section of the photo by using the photo cropping function for your own collection of fun!



Swipe to Slide

Instead of pressing tiny arrow keys, swipe your finger across the screen to browse through the previously taken pictures. Simply swipe to the left to view the next picture and to the right to view the previous one. Enjoy the browsing convenience of T850!



Scribble and scrawl all you want

Get in touch with your creative side! Draw a heart around you and your best friend, put words in your dog's mouth, or frame your all-time favorite pose on the 3" large screen of the BenQ DSC T850. Experience the fun of full screen photo editing with splashes of color, hilarious call-outs and personalized frames. Bring out the artist in you!



* For detailed information about BenQ's DC T850, please refer to the specifications sheet at the back of the catalogue.

Digital Camera E1050t



- 10M CCD
- 3x lens
- 3" LTPS LCD
- Continuous Movie
- 29 shooting mode
- 32/169 Resolution
- Super Shake-Free
- Smile Capture
- Face-Tracking
- Web Sharing
- HD 1920x1080 Resolution



See, Touch and Enjoy!

See, Touch and Enjoy!
Do away with complicated menus and functions.
Just tap the screen with your finger and the whole enjoyment of photography is yours in a few easy and simple steps.

- TAP to focus and shoot
- CIRCLE to zoom
- SWIPE to browse and play



10M CCD 3x lens

10 Megapixel / 3x optical zoom

With a diamond-cut metallic bar across the top of its aluminum alloy casing, the radiating BenQ DSC E1050t outshines similar products with its striking, simplistic design. The brush-metallic frame outlines the lens which in turn enhances the highly stylish exterior of the E1050t. This compact design also features 10 megapixel resolution and 3x optical zoom lens.

Whether you are in front of or behind the camera, you will be the focus of attention!

Intuitive and user-friendly interface: Tap, Circle and Swipe

The BenQ DSC E1050t does away with complicated buttons. With its 3" large touch-screen LCD and intuitive and user-friendly interface DSC E1050t puts 80% of your photo shooting needs at your fingertips through a set of preset 'hot key' on a 'Single Tap' quick bar. Furthermore, you can tap the screen to browse up to 12 photos at the same time and select multiple photos from each set of pictures to be deleted, protected or printed. Circle specific parts of the photo with the tip of your finger to zoom up to 12x. Crop and save the enlarged section of the photo using the photo cropping function. Swipe your fingertip across the screen to continue browsing through photos. It really cannot get much easier than this.



Tap to Shoot!

The BenQ DSC E1050t allows you to focus, and shoot simultaneously! Simply view through the screen to find the object you want to focus on, and then tap! The E1050t will then adjust itself and deliver amazing results every time.



Night Scene Mode

The Night Scene Mode really comes in handy when you're celebrating your birthday party in a romantic candle-lit restaurant or dancing all night long with your friends at the hottest club in town. With the lengthened 15 seconds exposure time, every picture you take in a darkened room will be a clear and beautiful one.



16:9 HD mode

Capture high-definition still images with the same aspect ratio 16:9 as HDTV (1920 x 1080). When playing back photos in HDTV, you will see the full picture with no cut off.



Web Sharing Mode

In web sharing mode, you can record your precious moments directly in a video size of 640 x 480 at 30fps up to 10 minutes or 100MB. The quality is optimized for popular web sharing sites. It's never been this easy to upload video.



In-Camera Red-Eye Remover

Enjoy the convenience of getting your photos ready for show! The E1050t comes with a built-in Red-Eye Remover function that allows you to remove unsightly "red glowing eyes" during playback.



* For detailed information about BenQ's DC E1050t, please refer to the specifications sheet at the back of the catalogue.

Digital Camera

E1050

- 10M CCD
- 3x lens
- 3" LTPS LCD
- Continuous Movie
- P/Av/Tv/M Function
- 32 shooting mode
- 3:2/16:9 Resolution
- Super Shake-Free
- Smile Capture
- Face-Tracking
- Web Sharing
- HD 1920X1080 Resolution



Bring colors to life

Close up color stimulation.
 Let your pictures stand out in all their color.
 Surprisingly simple and easy to use,
 the DC E1050 brings life to your memories.

10 megapixels / 3x optical zoom

- 10M CCD
- 3x lens
- 3" LTPS LCD

The BenQ E1050 offers excellent performance accompanied with a minimalistic yet elegant design. With a thickness of only 16.9mm, it integrates 3x optical zoom lens, 10 megapixel resolution and a 3" large screen.



16:9 HD mode

- 3:2/16:9 Resolution

Capture high-definition still images with the same aspect ratio 16:9 as HDTV (1920 x 1080). You can play photos back in HDTV to see the full picture without any cut-off.



Web Sharing Mode

- Web Sharing

In web sharing mode, you can record your precious moments directly in a video size of 640x480 at 30fps for up to 10 minutes or 100MB. The quality is optimized for popular web sharing sites. It's never been so easy to upload video to the web.



Super Shake-Free function

- Super Shake-Free

Forget those blurred photos caused by unexpected hand shaking. The Shake-Free hotkey, once activated -in any mode- will ensure that your images are sharp and clear. Get the picture?



In-Camera Red-Eye Remover

Enjoy the convenience of getting your photos ready for show! The E1050 comes with a built-in Red-Eye Remover function that allows you to remove unsightly "red glowing eyes" during playback.



Smile Catch Mode

- Smile Capture

The BenQ's Smile Catch Mode allows you to continuously capture smile after smile by shooting automatically when a smiling face is detected. Exit Smile Catch Mode by pressing the shutter button. This smart feature helps you capture every moment of happiness.



AF Assist Lamp

Through AF lamp assistance, our E1050 can get the right focus easier when in a low-lit environment. There is nowhere to hide anymore!



* For detailed information about BenQ's DC E1050, please refer to the specifications sheet at the back of the catalogue.

Digital Camera

E800

8M CCD 3x lens 2.7" TFT LCD Smile Capture Face Tracking 16 shooting Modes 3:2/16:9 Resolution Continuous Movie



Smile and the world smiles with you

Smile, and the world beams back. The DC E800's special "smile capture" function ensures that every moment of happiness can be captured effortlessly. Furthermore, the camera can be charged anywhere, using a USB connection. Something worth smiling about.

8 Megapixels / 3x optical zoom 8M CCD 3x lens 2.7" TFT LCD

The BenQ's new DSC E800 with 3x optical zoom and powerful noise reduction feature provides excellent picture quality. It's your best on the go travel companion.

Large 2.7" Screen

See the big picture and enjoy playback experience on a large 2.7" screen.



On Device Battery Charging

Battery charging can be as easy as just charging through an adapter or an USB connection with PC or NB. No additional charger is required.

Always ready to take the perfect picture!



Smile Catch Mode

The BenQ's Smile Catch Mode allows you to continuously capture smile after smile by shooting automatically when a smiling face is detected. Exit Smile Catch Mode by pressing the shutter button. This smart feature helps you capture every moments of happiness.




Face Tracking Function

With up to 8 faces detection, you are guaranteed to catch every face perfectly with superior clarity and color in each photo. Now everyone is photogenic!



16 Shooting Modes 16 shooting Modes

Auto / Museum / Program Mode / Snow / Smile Catch / Sunset / Portrait / Fireworks / Night Portrait / Party / Landscape / Beach / Sport / Text / Night Landscape / Backlight



3:2 and 16:9 special output size 3:2/16:9 Resolution

3:2 resolution mode supported for easy printing without trimming edges; 16:9 resolution mode supported for direct display on 16:9 TV.



* For detailed information about BenQ's DC E800, please refer to the specifications sheet at the back of the catalogue.

Digital Camera C1060

- 10M
CCD
- 3x lens
- 2.7" TFT
LCD
- Smile
Capture
- ISO
HI
- P/Av/Tv/M
Function
- Photo
Frames
- Continuous
Movie
- 3:2/16:9
Resolution
- Face-
Tracking
- Shake-Free
- 13
shooting
mode

Comfort at hand

Feel the moment.
Mix the traditional feel of leather with a slick and modern design and taking pictures becomes a true pleasure. From tactile sensations of the past to performing technology of our times, the DC C1060 has all the trademarks of a classic.



10 Mega pixel / 3x optical zoom
Features Sony 10 megapixel CCD and 3x optical zoom for excellent picture quality.

A Touch of Comfort and Pleasure
Curved to fit perfectly in the palm of your hand, the grip of the BenQ DSC C1060 is beautifully covered in leather from front to back, for a warm and comfortable touch. At the top of the grip, the beveled metal edge is positioned to give the tip of your index finger a totally contrasting tactile sensation. This classic design is here to stay!

10M
CCD
3x lens

Smile Catch Mode

The BenQ's Smile Catch Mode allows you to continuously capture smile after smile by shooting automatically when a smiling face is detected. Exit Smile Catch Mode by pressing the shutter button. This smart feature helps you capture every moments of happiness.



Shake-Free Mode

Avoid blurry pictures from shaking hands and enjoy crisp images with the Shake-Free function. Activated under many shooting mode, it is so easy to take pictures on the move!



High Sensitivity (ISO 3200)

Let your ideas shine. With the high sensitivity of ISO 3200 (resolution is limited to 3 megapixels or lower), you can capture clearer and brighter pictures in low light without flash.



Photo frames

Add a special background to your pictures and create your own little story. With a wide range of photo frames to choose from, bring humour and fun to photography.



P/Av/Tv/M mode


With a choice of modes, you can now be as professional as you wish to be. From Av (adjusts aperture to desired depth of field) to Tv (adjusts shutter to suitable exposure), Manual (adjusts both aperture & shutter), and Program (sets aperture/shutter automatically according to environment preferences), you can demonstrate your skills as a burgeoning photographer, or a seasoned picture snapper.



Digital Camera

C850

- 8M CCD
- 3x lens
- 2.7" TFT LCD
- Smile Capture
- Shake-Free
- ISO HI
- P/Av/Tv/M Function
- Photo Frames
- Continuous Movie
- 3:2/16:9 Resolution
- Face-Tracking
- 14 shooting Modes



Class and technology wrapped in one

A touch of class. Indulge in a camera that will bring that little bit extra to your picture taking experience. Not only does the DC C850 have all the cool and latest functions needed to create great results, it also comes in an elegant and classy design.



Large 2.7" Screen



See the big picture and enjoy playback experience on a large 2.7" screen.



Smile Catch Mode



The BenQ's Smile Catch Mode allows you to continuously capture smile after smile by shooting automatically when a smiling face is detected. Exit Smile Catch Mode by pressing the shutter button. This smart feature helps you capture every moment of happiness.



Shake-Free Mode



Avoid blurry pictures from shaking hands and enjoy crisp images with the Shake-Free mode. It is so easy to take pictures on the move!



without S.F

with S.F

Photo frames



Add a special background to your pictures and create your own little story. With a wide range of photo frames to choose from, bring humour and fun to photography.



P/Av/Tv/M mode



With a choice of modes, you can now be as professional as you wish to be. From Av (adjusts aperture to desired depth of field) to Tv (adjusts shutter to suitable exposure), Manual (adjusts both aperture & shutter), and Program (sets aperture/shutter automatically according to environment preferences), you can demonstrate your skills as a burgeoning photographer, or a seasoned picture snapper.





**Capture with yours eyes.
Deliver with your fingertips!**

BenQ

Specifications	
Sensor	
1 / 2.5" CCD	
Image	<i>Effective Pixels</i>
8M	
Zoom	<i>Optical / Digital</i>
3x / 5x	
LCD size / resolution	
3" touch-screen TFT LCD 230K pixels	
Picture Resolution (pixels)	
3264x2448 (8M) / 3264x2176 (3:2) / 3264x1836 (16:9) / 2592x1944 (5M) / 2048x1536 (3M) / 1600x1200 (2M) / 640x480 (VGA)	
Lens	<i>Focal Length</i>
	<i>F No.</i>
f = 6.2 (W) ~ 18.6 (T) mm	
F / 2.7 (W) ~ F/5.2 (T)	
Focus Range	
Normal: 40cm ~ infinity / Macro: 15 ~ 50 cm (W)	
Movie Mode	<i>Resolution</i>
640x480 / 320x240 / 16:9 with 30fps / 15fps in MPEG4 format (continuous recording with sound)	
Shutter Speed	
1 / 2000 ~ 1 sec (Scene mode 8 sec)	
ISO Equivalent	
Auto / 100 / 200 / 400 / 800 / 1600 / 2000 (Shake Free mode) / 6400 (Movie mode)	
Flash	
Auto / Force Off / Force On / Auto Anti Red-Eye / Anti Red-Eye / Slow Sync	
Self-Timer	
10 sec	
Storage	
Built in 5MB usable / 8GB SD card compatible and support up to 16GB SDHC	
Interface	<i>Digital out</i>
	<i>TV out</i>
USB2.0 (compatible)	
Audio / Video output (NTSC / PAL)	
Power Source	
720mAh Rechargeable Lithium-ion battery (CIPA 200 pcs)	
Dimension (mm)	
91x59x16.9 (14.9 slimmest) mm	
Weight (g)	
120g (without battery& SD card)	



Specifications	
Sensor	
1 / 2.3" CCD	
Image	<i>Effective Pixels</i>
10M	
Zoom	<i>Optical / Digital</i>
3x / 5x	
LCD size / resolution	
3" LTPS LCD 230K pixels	
Picture Resolution (pixels)	
3648x2736 (10M) / 3648x2048 (16:9) / 3648x2432 (3:2) / 3264x2448 (8M) / 2592x1944 (5M) / 2048x1536 (3M) / 1920x1080 (HD) / 640x480 (VGA)	
Lens	<i>Focal Length</i>
	<i>F No.</i>
f=6.3 (W) ~ 18.9 (T) mm	
F / 3.1 (W) ~ F/5.6 (T)	
Focus Range	
Normal: 40cm~infinity / Marco: 10~60cm (W)	
Movie Mode	<i>Resolution</i>
16:9 (848x480) / 640x480 / 320x240 with 30fps (continuous recording with sound)	
Shutter Speed	
1 / 2000 ~ 1 sec (Scene mode 15 sec)	
ISO Equivalent	
Auto / 50 / 100 / 200 / 400 / 800 / 1600 / 3200 (3MP or lower only)	
Flash	
Auto / Auto Anti Red-Eye / Force On / Force Off / Slow Sync	
Self-Timer	
2 sec / 10 sec / 10+2 sec	
Storage	
Built-in 10MB usable / 16GB SDHC card compatible	
Interface	<i>Digital out</i>
	<i>TV out</i>
USB2.0 (compatible)	
Audio / Video output (NTSC / PAL)	
Power Source	
720mAh Rechargeable Lithium-ion battery (CIPA 200 pcs)	
Dimension (mm)	
95x57x17.6 (16.8 slimmest) mm	
Weight (g)	
120g (without battery& SD card)	




Specifications	
Sensor	
1 / 2.3" CCD	
Image	<i>Effective Pixels</i>
10M	
Zoom	<i>Optical / Digital</i>
3x / 5x	
LCD size / resolution	
3" touch-screen LTPS LCD 230K pixels	
Picture Resolution (pixels)	
3648x2736 (10M) / 3648x2432 (3:2) / 3264x2448 (8M) / 2592x1944 (5M) / 2048x1536 (3M) / 1920x1080 (HD) / 640x480 (VGA)	
Lens	<i>Focal Length</i>
	<i>F No.</i>
f = 6.3 (W) ~ 18.9 (T) mm	
F / 3.1 (W) ~ F/5.6 (T)	
Focus Range	
Normal: 40cm~infinity / Marco: 10~60cm (W)	
Movie Mode	<i>Resolution</i>
16:9 (848x480) / 640x480 / 320x240 with 30fps (continuous recording with sound)	
Shutter Speed	
1 / 2000 ~ 1 sec (Scene mode 15 sec)	
ISO Equivalent	
Auto / 100 / 200 / 400 / 800 / 1600 / 3200 (3MP or lower only)	
Flash	
Auto/Force Off/Force On/ Auto Anti Red-Eye/Anti Red-Eye/ Slow Sync	
Self-Timer	
2 sec / 10 sec	
Storage	
Built-in 9MB usable / 16GB SDHC card compatible	
Interface	<i>Digital out</i>
	<i>TV out</i>
USB2.0 (compatible)	
Audio / Video output (NTSC / PAL)	
Power Source	
720mAh Rechargeable Lithium-ion battery (CIPA 200 pcs)	
Dimension (mm)	
95x57x17.6 (17 slimmest) mm	
Weight (g)	
120g (without battery& SD card)	



Specifications	
Sensor	
1 / 2.5" CCD	
Image	<i>Effective Pixels</i>
8.1M	
Zoom	<i>Optical / Digital</i>
3x / 5x	
LCD size / resolution	
2.7" TFT LCD 230K pixels	
Picture Resolution (pixels)	
3280x2460(8M) / 3280x2186(3:2, 7.1M) / 3280x1846(16:9, 6.1M) / 2592x1944(5M) / 2048x1536(3M) / 1600x1200(2M) / 640x480(VGA)	
Lens	<i>Focal Length</i>
	<i>F No.</i>
f = 5.7 (W) ~ 17.1(T) mm	
F / 2.9 (W) ~ F/5.2 (T)	
Focus Range	
Normal: 60cm ~ infinity / Marco: 10cm ~ 70cm (W)	
Movie Mode	<i>Resolution</i>
640x480 with 15fps / 320x240 with 30fps < 80 min. in M_JPEG movie format (continuous recording with sound)	
Shutter Speed	
1/2000 ~ 2 sec	
ISO Equivalent	
Auto / 100 / 200 / 400 / 800 / 1600	
Flash	
Auto / Force Off/ Force On / Anti Red-eye	
Self-Timer	
2 sec / 10 sec	
Storage	
Built in 10MB usable / 8GB SDHC card compatible	
Interface	<i>Digital out</i>
	<i>TV out</i>
USB2.0 (compatible)	
Audio / Video output (NTSC / PAL)	
Power Source	
680mAh Rechargeable Lithium-ion battery (CIPA 200 pcs)	
Dimension (mm)	
93x58x21.45 / 20.2 (LCD / Button side) mm	
Weight (g)	
140g (without battery & SD card)	



Specifications		DC / C1060	
Sensor		1/2.3" CCD	
Image	<i>Effective Pixels</i>	10M	
Zoom	<i>Optical / Digital</i>	3x / 4x	
LCD size / resolution		2.7" TFT LCD 230k pixels	
Picture Resolution (pixels)		3648x2736 (10M) / 3648x2048 (16:9) / 3648x2432 (3:2) / 3264x2448 (8M) 2560x1920 (5M) / 2048x1536 (3M) / 640x480 (VGA)	
Lens	<i>Focal Length</i>	f = 6.2 (W) ~ 18.6 (T) mm	
	<i>F No.</i>	F / 2.8 (W) ~ F/5.2 (T)	
Focus Range		Normal: 80cm~infinity / Marco: 15cm (W) ~1m	
Movie Mode	<i>Resolution</i>	720x400 (16:9) / 640x480 / 320x240 / 160x120M_JPEG movie format (Continuous recording with sound)	
Shutter Speed		1/2000 ~ 1 sec (Program); 2 sec (Firework scene); 1/2000~4 sec (Manual; Night scene)	
ISO Equivalent		Auto / 50 / 100 / 200 / 400 / 800 / 1600 / 3200 (3MB and VGA)	
Flash		Auto / Red-eye reduction / Forced on / Slow sync / Forced off	
Self-Timer		2 sec / 10 sec / 10+2 sec	
Storage		Built-in 21.7MB, 16GB SD/SDHC card compatible	
Interface	<i>Digital out</i>	USB2.0 (compatible)	
	<i>TV out</i>	Audio / Video output (NTSC / PAL)	
Power Source		AA battery x 2 (Alkaline, Lithium-ion, Oxyride or NiMH supported / Carbon-Zinc are not recommended)	
Dimension (mm)		93.4x62.2x25.9 mm	
Weight (g)		140g (without battery & SD card)	

Specifications		DC / C850	
Sensor		1/2.5" CCD	
Image	<i>Effective Pixels</i>	8M	
Zoom	<i>Optical / Digital</i>	3x / 4x	
LCD size / resolution		2.7" TFT LCD 230K pixels	
Picture Resolution (pixels)		3264x2448 (8M) / 3264x2176 (3:2) / 3264x1840 (16:9) / 2816x2112 (6M) 2272x1704 (4M) / 1600x1200 (2M) / 640x480 (VGA)	
Lens	<i>Focal Length</i>	f = 6.2 (W) ~ 18.6(T) mm	
	<i>F No.</i>	F / 2.8 (W) ~ F/5.2 (T)	
Focus Range		Normal: 80cm ~ Infinity / Marco: 15cm (W) ~ 1m	
Movie Mode	<i>Resolution</i>	720x400 (16:9) / 640x480 / 320x240 / 160x120 with 30fps M _JPEG movie format (Continuous recording with sound)	
Shutter Speed		1 / 2000 ~ 8 sec	
ISO Equivalent		Auto / 50 / 100 / 200 / 400 / 800 / 1600	
Flash		Auto / Red-eye reduction / Forced on / Slow sync / Forced off	
Self-Timer		2 sec / 10 sec / 10+2 sec	
Storage		Built-in 6MB usable, SD/SDHC card compatible	
Interface	<i>Digital out</i>	USB2.0 (compatible)	
	<i>TV out</i>	Audio / Video output (NTSC / PAL)	
Power Source		AA battery x 2 (Alkaline, Lithium-ion, Oxyride or NiMH supported / Carbon-Zinc are not recommended)	
Dimension (mm)		93.4x62.2x25.9 mm	
Weight (g)		140g (without battery & SD card)	



Accessories.

A little extra to complete the experience...
BenQ offers an exciting selection of convenient and eye-catching pocket size pouches that will protect your camera from scratches. Pouch, wrist strap and touch pen come with different models.