

BenQ Digital Camera T800 (final)



World slimmest 3.0" touch panel/smc PENTAX lens/3x opt.zoom

- Slimmest at just 14.9mm,
- 3" touch screen
- 8 MP
- 230K LTPS display
- smc PENTAX lens



Face-Tracking function

- automatically detect and track human faces and focus up to **9 faces**

Pioneer "Tap-to-Enlarge" functi

- By circle the area where you want to enlarge



Super Shake-Free mode

- S.S.F. mode avoid blurred photo by hand shaking

High ISO supported

- high ISO up to **2000 in capture mode** and **4000 in m mode**.



Smart Zoom

Bracket Exposure

Z-lighting

- Able to adjust the lighting after the photo is taken

16:9 and optical zoom support in video recording

Powerful photo editing on camera

- photo frames and stamps embedded
- customized frames and draw on photos

Various scene modes

- **12 scene modes** Auto /Night Scene / Movie / **Voice recording** / Landscape /Flower / Portrait / Surf & Snow / Sport / S.S.F. (SuperShake-Free) / Food / **Frame Composite**

Specifications

Sensor	Sony 8.0 Mega Pixels CCD; Size: 1/2.5 inch
Zoom	Optical: 3X Digital: 4X (Preview) / 12X (Playback)
Lens	f = 6.2 (W) ~ 18.6 (T) mm ; F/2.7(W) ~ 5.2(T) (35mm film equivalent: 37.5 ~112.5mm);
Focus Range	Normal: 40cm ~ Infinity Macro: 15cm ~ 50 cm (Wide)
LCD	AUO 3.0" LTPS LCD / 230,000 pixels
Image Resolution	3264 x 2448 (8M) / 3264 x 1836 (16:9) / 3264 x 2176 (3:2) / 2592 x 1944 (5M) / 2048 x 1536 (3M) / 640 x 480(VGA)
Movie Mode	MPEG4 / 30fps, 640 x 360 (16:9) / 640 x 480 / 320 x 240 Continuous recording with sound
Shutter Speed	1/2000 ~ 1/4 sec (Night scene mode 8 sec)
White Balance	Auto / Daylight / Shade / Tungsten / Fluorescent / Manual
Exposure	-2 ~ +2 EV (0.3EV / step)
ISO	Auto / 100 / 200 / 400 / 800 / 1600 / 2000 (Shake Free mode) / 4000 (Movie mode)
Flash	Auto, Force on, Force off, Force On with Red-eye reduction, Auto with Redeye reduction, Slow Sync
Self-Timer	2 sec / 10 sec
Power Source	720mAh Rechargeable Li-on Battery (CIPA 180 pcs)
Storage Type	Built-in 10 MB (Usable); SDHC card compatible
File Format	Still Image: JPEG (EXIF 2.2 compatible) DCF compatible; Audio: WAV
Dimensions / Weight	91.0 x 59 x 16.9 (14.9 slimmest) mm 120 g (without battery & SD card)
Interface	Digital output: USB 2.0 (High Speed) Audio / Video output (NTSC/PAL) PictBridge / DPOF
Color	Black; Red
Accessory	User Manual / Hand Strap / Touch pen / Li-ion battery / Battery charger set / AV Cable / USB cable / Software CD ROM / Adapter (5V,600mA) / Pouch

BenQ Digital Camera T800



More Information about this Camera

Powerful movie performance

With MPEG-4 format and VGA / 30fps, you may enjoy high-definition and smooth video performance; You can also zoom in and zoom out during recording the video.

12 hotkeys provided for your convenience

You may set the shortcut for the most frequent used functions on the main page to save your time looking for the functions you need.

Guide display for operational aid

Illustration and literature are provided in scene mode selection menu for your clear operational instruction.

Stainless steel design with 2-color options

Designed with glossy & delicate stainless steel, T800 has fashionable outlook design with 2 eye-catching colors to signal your personal taste and class.

PictBridge / DPOF for direct printing

You can print out the photos via the printer directly without connecting to the computer first.



SDHC card supported

You are allowed to capture lots of photos and videos with a 2G SD memory card, which allows continuous video recording up to 120 minutes.





T700 vs. T800 Comparison chart

Items	T700	T800
DSP	Zoran Coach C8m	Zoran Coach C9m
Build-in memory	12MB	10MB
Memory Card Support	SD	SD/SDHC
Charger	NP20 single use	*3 in 1 Charger
Color	Red / Black / Silver / White	Red / Black
Bracket Exposure	NO	Yes
Still Image 3:2 / 16:9 Resolution	NO	Yes
Flash Mode	Soft Mode	Slow Sync
Face Tracing	NO	Yes
Long Shutter Speed	Night Scene Mode 4 sec	Night Scene Mode 8 sec
Video Optical Zoom	NO	Yes
Video 16: 9 Resolution	NO	Yes
Manual ISO	ISO AUTO/80/160/320/400/800	ISO Auto / 100 / 200 / 400 / 800 / 1600
SSF Mode	ISO 1200	ISO 2000
Smart Zoom	NO	Smart Zoom 8M => 1x 3: 2 => 4x 16: 9 => 4x 5M => 6x 3M => 8x VGA => 10x
Z-Lighting	NO	Yes
OSD Language (Malay · Dutch)	NO	Yes

- 3 in 1 charger can charge the batteries on the following models:
X725, X700, T700, T800,
X710, E600, E605, E510, X600
E820, E720, E1000, C500, C700, C53+, E43, E53, E63